

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[Molex Connector Corporation](#)
[0395333005](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

SPECIFICATIONS:

1. Material:
- (1). Screw: Steel
- (2). Body: PA66
- (3). Terminal: Phosphor Bronze
- (4). Cage: Brass
- (5). Cover: PA66
2. Wire range: 12 - 26 AWG
3. Electrical rating: 300V, 15A.
4. Wire strip length: 5.0mm.
5. Operating temperature: -40C to +105C.
6. Max torque: 5 In Lbs.
7. Insulation resistance: DC 500V, 500M.
8. Dielectric withstand: AC 2500V for 1 minute.
9. Breakdown voltage: 4000V.
10. Contact resistance: <10 mW.
11. A = (N x P)
12. B = (N - 1) x P
13. P (PITCH) = 5.08mm (.200").
14. N = Number of positions available 2 through 24.



ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
EC NO: NE0206-0310		▼=0		mm		MM/IN		4:1	INCH	5.08MM, EURO PLUG, VERTICAL, REAR WIRE ENTRY	
DRAWN BY: LROTHAUS		▽=0		INCH		DATE		TITLE			
CHKD: YORK				4 PLACES ± .0015		12/6/05					
APPR: JPAWL				3 PLACES ± 0.038 ± .005		CHECKED BY		DATE			
REV				2 PLACES ± 0.13 ± .01		C. YORK		01/06/06			
A				1 PLACE ± 0.3 ± .---		APPROVED BY		DATE		MOLEX INCORPORATED	
				ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-39533-001		1 OF 1	
						SIZE B					

Description	Circuit size	Material Numbers												Dimensional Information			
		Black						Green									
		100% Tin			30 u" Gold			100% Tin			30 u" Gold			mm	inch	mm	Din B
		Printing Options			Printing Options			Printing Options			Printing Options						
None	10AV	11AV	None	10AV	11AV	None	10AV	11AV	None	10AV	11AV	None	10AV	11AV			
5.08mm, Euro Plug, Vertical, Rear Wire Entry	2	395333002	395333002	395333402	395333502	395333802	395333902	395338002	395338002	395338402	395338502	395338802	395338902	10.16	0.400	5.08	0.200
5.08mm, Euro Plug, Vertical, Rear Wire Entry	3	395333003	395333003	395333403	395333503	395333803	395333903	395338003	395338003	395338403	395338503	395338803	395338903	15.24	0.600	10.16	0.400
5.08mm, Euro Plug, Vertical, Rear Wire Entry	4	395333004	395333004	395333404	395333504	395333804	395333904	395338004	395338004	395338404	395338504	395338804	395338904	20.32	0.800	15.24	0.600
5.08mm, Euro Plug, Vertical, Rear Wire Entry	5	395333005	395333005	395333405	395333505	395333805	395333905	395338005	395338005	395338405	395338505	395338805	395338905	25.40	1.000	20.32	0.800
5.08mm, Euro Plug, Vertical, Rear Wire Entry	6	395333006	395333006	395333406	395333506	395333806	395333906	395338006	395338006	395338406	395338506	395338806	395338906	30.48	1.200	25.40	1.000
5.08mm, Euro Plug, Vertical, Rear Wire Entry	7	395333007	395333007	395333407	395333507	395333807	395333907	395338007	395338007	395338407	395338507	395338807	395338907	35.56	1.400	30.48	1.200
5.08mm, Euro Plug, Vertical, Rear Wire Entry	8	395333008	395333008	395333408	395333508	395333808	395333908	395338008	395338008	395338408	395338508	395338808	395338908	40.64	1.600	35.56	1.400
5.08mm, Euro Plug, Vertical, Rear Wire Entry	9	395333009	395333009	395333409	395333509	395333809	395333909	395338009	395338009	395338409	395338509	395338809	395338909	45.72	1.800	40.64	1.600
5.08mm, Euro Plug, Vertical, Rear Wire Entry	10	395333010	395333010	395333410	395333510	395333810	395333910	395338010	395338010	395338410	395338510	395338810	395338910	50.80	2.000	45.72	1.800
5.08mm, Euro Plug, Vertical, Rear Wire Entry	11	395333011	395333011	395333411	395333511	395333811	395333911	395338011	395338011	395338411	395338511	395338811	395338911	55.88	2.200	50.80	2.000
5.08mm, Euro Plug, Vertical, Rear Wire Entry	12	395333012	395333012	395333412	395333512	395333812	395333912	395338012	395338012	395338412	395338512	395338812	395338912	60.96	2.400	55.88	2.200
5.08mm, Euro Plug, Vertical, Rear Wire Entry	13	395333013	395333013	395333413	395333513	395333813	395333913	395338013	395338013	395338413	395338513	395338813	395338913	66.04	2.600	60.96	2.400
5.08mm, Euro Plug, Vertical, Rear Wire Entry	14	395333014	395333014	395333414	395333514	395333814	395333914	395338014	395338014	395338414	395338514	395338814	395338914	71.12	2.800	66.04	2.600
5.08mm, Euro Plug, Vertical, Rear Wire Entry	15	395333015	395333015	395333415	395333515	395333815	395333915	395338015	395338015	395338415	395338515	395338815	395338915	76.20	3.000	71.12	2.800
5.08mm, Euro Plug, Vertical, Rear Wire Entry	16	395333016	395333016	395333416	395333516	395333816	395333916	395338016	395338016	395338416	395338516	395338816	395338916	81.28	3.200	76.20	3.000
5.08mm, Euro Plug, Vertical, Rear Wire Entry	17	395333017	395333017	395333417	395333517	395333817	395333917	395338017	395338017	395338417	395338517	395338817	395338917	86.36	3.400	81.28	3.200
5.08mm, Euro Plug, Vertical, Rear Wire Entry	18	395333018	395333018	395333418	395333518	395333818	395333918	395338018	395338018	395338418	395338518	395338818	395338918	91.44	3.600	86.36	3.400
5.08mm, Euro Plug, Vertical, Rear Wire Entry	19	395333019	395333019	395333419	395333519	395333819	395333919	395338019	395338019	395338419	395338519	395338819	395338919	96.52	3.800	91.44	3.600
5.08mm, Euro Plug, Vertical, Rear Wire Entry	20	395333020	395333020	395333420	395333520	395333820	395333920	395338020	395338020	395338420	395338520	395338820	395338920	101.60	4.000	96.52	3.800
5.08mm, Euro Plug, Vertical, Rear Wire Entry	21	395333021	395333021	395333421	395333521	395333821	395333921	395338021	395338021	395338421	395338521	395338821	395338921	106.68	4.200	101.60	4.000
5.08mm, Euro Plug, Vertical, Rear Wire Entry	22	395333022	395333022	395333422	395333522	395333822	395333922	395338022	395338022	395338422	395338522	395338822	395338922	111.76	4.400	106.68	4.200
5.08mm, Euro Plug, Vertical, Rear Wire Entry	23	395333023	395333023	395333423	395333523	395333823	395333923	395338023	395338023	395338423	395338523	395338823	395338923	116.84	4.600	111.76	4.400
5.08mm, Euro Plug, Vertical, Rear Wire Entry	24	395333024	395333024	395333424	395333524	395333824	395333924	395338024	395338024	395338424	395338524	395338824	395338924	121.92	4.800	116.84	4.600

SEE SHEET 1 EC NO: NEO2006-0310 DRAWN: LROTHAUS CHKD: CYRUS APPR: JPAWL 2006/01/08 2006/01/10	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				
	▽=0		mm	INCH	DRAWN BY LROTHAUS	DATE 12/6/05	5.08MM, EURO PLUG, VERTICAL, REAR WIRE ENTRY					
	▽=0	4 PLACES ± ---	±.0015	CHECKED BY C. YORK	DATE 01/05/06							
		3 PLACES ± 0.038	±.005	APPROVED BY	DATE							
		2 PLACES ± 0.13	±.01									
		1 PLACE ± 0.3	± ---			molex MOLEX INCORPORATED						
		ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
		DRAFT WHERE APPLICABLE		SEE CHART		SD-39533-001		2 OF 2				
		MUST REMAIN WITHIN DIMENSIONS		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
		REV										