

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10067099-100LF](#)


For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NO	MOTOROLA P/N	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	REMARK
10067099-100LF	3971730C03	3.05MM	1.85MM	3.40MM	1.00MM	1.20MM	3.05MM	NO PROTECTION
10067099-200LF	3971730C02	2.65MM	1.45MM	3.50MM	0.90MM	1.00MM	2.95MM	NO PROTECTION
10067099-400LF	3971730C03	3.05MM	1.85MM	3.40MM	1.00MM	1.20MM	3.05MM	WITH PROTECTION
10067099-500LF	3971730C02	2.65MM	1.45MM	3.50MM	0.90MM	1.00MM	2.95MM	WITH PROTECTION



10067099-100LF/200LF



10067099-400LF/500LF



NOTES:

1. MATERIAL:

- HOUSING: 30% G/F LCP, UL 94V-0, COLOR: BLACK.
CONTACT & DETECT PIN: COPPER ALLOY, THICKNESS=0.15MM.
CONTACT PLATING: 50u" MIN. OF Ni UNDERPLATE, GOLD FLASH
OVER ALL, CONTACT AREA PLATING 30u" GOLD.
DETECT PIN PLATING: 50u" MIN. OF Ni UNDERPLATE, GOLD FLASH
ON CONTACT AREA, TIN PLATED ON SOLDER AREA.
BRACKET: STAINLESS STEEL, THICKNESS=0.20MM, GOLD FLASH ON SOLDER AREA.
2. PRODUCT PERFORMANCE SPEC. PER GS-12-451.
3. PACKAGE SPEC. PER GS-14-1162.
4. "■" REPRESENT CRITICAL DIMS AND NEED TO MEET Cpk>1.5

5. THIS PRODUCT IS RoHS COMPLIANT, AND MEETS EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS PER GS-22-008.
6. A△SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE
WHICH HAS BEEN MODIFIED WITH CURRENT DRAWING VERSION.

rev	ecn no	dr	date
A	DG07-0087	DT	2007.03.15
B	DG07-0098	DT	2007.04.04
C	DG08-0005	SH	2008.01.04
D	DG08-0339	SH	2008.12.04
E	DG10-0457	SM	2010.12.21
F	DG10-0462	SM	2010.12.28
G	DG11-0034	SM	2011.02.11

www.fciconnect.com			surface	tolerance std	projection	MM
			ANGULAR	0.X ±0.30	size A4	Scale 1.000
			LINEAR	0.XX ±0.15	ECN DG11-0034	
			0° ±2°	0.XXX ±0.08	Spec ref	
			Product family Mobile I/O			
FCI			TFLASH CONNECTOR ASSEMBLY		10067099	Rev. G
			TFLASH CONNECTOR WITH CARD DETECTING			
catalog no			10067099	CUSTOMER	sheet 1 of 3	





REV F - 2006-04-17

PDM: Rev:G

STATUS:Released

4 Printed: Feb 12, 2011

PRODUCT NO	MOTOROLA P/N	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	REMARK
10067099-100LF	3971730C03	3.05MM	1.85MM	3.40MM	1.00MM	1.20MM	3.05MM	NO PROTECTION
10067099-200LF	3971730C02	2.65MM	1.45MM	3.50MM	0.90MM	1.00MM	2.95MM	NO PROTECTION




DETAIL B
SCALE 12.000


TOLERANCES UNLESS OTHERWISE SPECIFIED		
LINEAR	0.X	± 0.30
	0.XX	± 0.15
	0.XXX	± 0.08
ANGULAR	0°	$+2^\circ$

	Title		ANGULAR		U	Hz
	TFLASH CONNECTOR ASSEMBLY		10067099			Rev
	TFLASH CONNECTOR WITH CARD DETECTING		dwg no			G
catalog no	10067099		CUSTOMER		sheet 2 of 3	





PRODUCT NO	MOTOROLA P/N	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	REMARK
10067099-400LF	3971730C03	3.05MM	1.85MM	3.40MM	1.00MM	1.20MM	3.05MM	WITH PROTECTION
10067099-500LF	3971730C02	2.65MM	1.45MM	3.50MM	0.90MM	1.00MM	2.95MM	WITH PROTECTION




DETAIL C
SCALE 12.000



NOTE:
1. TOLERANCE FOR PCB LAYOUT: $\pm 0.05\text{MM}$.



SCALE 6.000



ALL SOLDER TAILS CO-PLANARITY
FROM SEATING PLANE: 0.08MM MAX.

DETAIL A
SCALE 12.000

FOR THE OTHER DIMENSIONS
ARE THE SAME AS -100LF



Title	TFLASH CONNECTOR ASSEMBLY	dwg no	10067099	Rev.	G
catalog no	10067099	CUSTOMER	sheet 3 of 3		

PDM: Rev:G

STATUS:Released

Printed: Feb 12, 2011