

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)

[556-00460](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

556-00460



Article Number: 556-00460

Thermal Transfer Printer, 600 DPI, Gray 1/pkg



Download spec sheet

Base Data

Local Order Number 556-00460

Type TTM460

Color Gray (GY)

- Features and Benefits**
- 600 dpi print head for high resolution printing.
 - Ethernet ready for easy network connectivity.
 - Print speeds up to 7.87 / second for fast label production.
 - Adjustable gap sensor so that the printer can detect a wide variety of label types.
 - Floating print head to automatically adjust to varying media thickness such as printable heat shrink tubing.
 - Optional cutter faceplate for automatic cutting and kitting of printed labels.
 - Wireless network ready for full production control.
 - Printer status screen for easy reference of network status, date, time, print head temperature and ribbon usage.

Product Description HellermannTyton's TTM460 thermal transfer printer is designed for medium to high volume users of thermal transfer labels and ShrinkTrak. Its user-friendly design features a streamlined menu for simple navigation, while its built in caddy allows even the largest label rolls to fit inside the printer. The optional cutter can cut through the thickest material. The 600 dpi print head provides the highest quality printing. The TTM460 is designed to handle all sizes of HellermannTyton's ShrinkTrak markers, and the TTM460 can print on even the smallest labels.

Short Description Thermal Transfer Printer, 600 DPI, Gray 1/pkg

Product Dimensions

Width W (Imperial) 9.44 "

Width W (Metric) 240 mm

Height H (Imperial) 12.28 "

Height H (Metric) 312 mm

Depth D (metric) 435 mm

Depth D (imperial) 17.12 "

Print Method Thermal Transfer

Logistics and Packaging

Quantity Per EA

Package Quantity 1

Package Quantity (Metric) 1

Weight (imperial) 32.4

Weight (Metric) 15 kg

Material and Specifications

Material Plastic



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of 556-00460 - TTM460 600 DPI THERMAL PRINTERS

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Material Shortcut Plastic

Operating Temperature +40°F to +104°F (+4°C to +40°C)

ROHS Compliant Yes

UL Listed (US and Canada) Yes